



M A T R I X L A B E L
Innovative Solutions in Labels

Direct Thermal

Table of Contents

DIRECT THERMAL

Continuous Roll Labels

400-1800 DT	2
400-2400 DT	2
400-5200 DT	3
400-6000 DT	3
400-7874 DT	3

1" Core

225-125 DT E	4
225-200 DT E	4
225-200 DTE YEL	5
250-200 DT E	5
400-150 DT E	5
400-250 DT E	6
400-300 DT E	6
400-600 DT E	6
400-600DT475E	7

3" Core

400-600 DT	7
400-600 DT-NT	7

Audit

1" Core

400-700 DT E AL	8
400-700 DT E AF	8

3" Core

400-700 DT AL	9
400-700 DT AF	9

Infrared Scannable

400-600 IR E	10
400-675 IR DTAB	10

CROSS REFERENCE LIST 11

NOTES 12

Direct Thermal

Matrix Label Systems' **Direct Thermal Labels** are manufactured from only high quality paper stock and have been thoroughly tested to withstand the heat applied during direct thermal printing. Our Continuous Roll Labels have been produced on top quality material with no splices. We have updated the design with a 3/32" margin on one side to assist in removing the label from the liner. These labels are primarily used for shipping systems connected to a scale platform. However, many of our customers have found them to be valuable in various tailored applications.

Continuous Roll Labels

400-1800 DT

Print Area: 4" x 1,800"

Specifications

- Compares to: Pitney Bowes® #745-0
- For use in: Pitney Bowes® J645
- Carrier Width: 4 3/16"
- Repeat: Continuous
- Outside Diameter: 4"
- Core Size: 1"
- Rolls Per Carton: 4
- Weight: 8 lbs./ carton

PHOTO NOT AVAILABLE

400-2400 DT

Print Area: 4" x 2,400"

Specifications

- Compares to: Pitney Bowes® #661-3
- For use in: Pitney Bowes® J644
- Carrier Width: 4 3/16"
- Repeat: Continuous
- Outside Diameter: 4 1/2"
- Core Size: 1"
- Rolls Per Carton: 8
- Weight: 20 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

400-5200 DT

Print Area: 4" x 5,200"

Specifications

- Compares to: Pitney Bowes® #655-8
- For use in: Pitney Bowes® J690
- Carrier Width: 4 3/16"
- Repeat: Continuous
- Outside Diameter: 8"
- Core Size: 4"
- Rolls Per Carton: 4
- Weight: 22 lbs./ carton

PHOTO NOT AVAILABLE

400-6000 DT

Print Area: 4" x 6,000"

Specifications

- Compares to: Pitney Bowes® #674-0
- For use in: Pitney Bowes® J693
- Carrier Width: 4 3/16"
- Repeat: Continuous
- Outside Diameter: 7 5/8"
- Core Size: 3"
- Rolls Per Carton: 4
- Weight: 25 lbs./ carton



400-6000 DT

400-7874 DT

Print Area: 4" x 7,874"

Specifications

- Compares to: Pitney Bowes® #665-6
- For use in: Pitney Bowes® J692
- Carrier Width: 4 3/16"
- Repeat: Continuous
- Outside Diameter: 9"
- Core Size: 4"
- Rolls Per Carton: 4
- Weight: 17 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

1" Core

225-125 DT E

Size: 2 1/4" x 1 1/4"

Specifications

- Compares to: Eltron® #800522-125/ Hasler® #9990460/9990461
- For use in: Direct Thermal Printers
- Carrier Width: 2 3/8"
- Repeat: 1 3/8"
- Outside Diameter: 3 1/2"
- Non-perforated
- Labels Per Roll: 1,130
- Rolls Per Carton: 12
- Cartons Per Case: 2 (27,120 labels)
- Weight: 11 lbs./ carton



225-125 DT E

225-200 DT E

Size: 2 1/4" x 2"

Specifications

- Compares to: Eltron® #800522-205/ Hasler® #9002820
- For use in: Hasler® Smart Track & WITS
"Internal Tracking System"
- Carrier Width: 2 3/8"
- Repeat: 2 1/8"
- Outside Diameter: 3 1/2"
- Perfed Every Label
- Labels Per Roll: 725
- Rolls Per Carton: 12
- Cartons Per Case: 2 (17,400 labels)
- Weight: 11 lbs./ carton



225-200 DT E

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

225-200 DTE YEL

Size: 2 1/4" x 2"

Specifications

- Compares to: Hasler® #9002820/ 9002821
(Tinted Substitute)
- For use in: Hasler® Smart Track & WITS
"Internal Tracking System"
- Carrier Width: 2 3/8"
- Repeat: 2 1/8"
- Outside Diameter: 3 1/2"
- Perfed Every Label
- Labels Per Roll: 725
- Rolls Per Carton: 12
- Cartons Per Case: 2 (17,400 labels)
- Weight: 11 lbs./ carton



225-200 DTE YEL

250-200 DT E

Size: 2 1/2" x 2"

Specifications

- Compares to: Neopost® #7465068-01
- For use in: Zebra® A300/ DA402/ LP2844Z
- Carrier Width: 2 5/8"
- Repeat: 2 1/8"
- Outside Diameter: 3 1/2"
- Non-perforated
- Labels Per Roll: 730
- Rolls Per Carton: 20 (14,600 labels)
- Weight: 21 lbs./ carton



250-200 DT E

400-150 DT E

Size: 4" x 1 1/2"

Specifications

- Compares to: Eltron® #800540-155
- Carrier Width: 4 1/8"
- Repeat: 1 5/8"
- Outside Diameter: 3 1/2"
- Perfed Every Label
- Labels Per Roll: 950
- Rolls Per Carton: 18 (17,100 labels)
- Weight: 29 lbs./ carton



400-150 DT E

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

400-250 DT E

Size: 4" x 2 1/2"

Specifications

- Compares to: Eltron® #800540-250/ Hasler® #9990480/ 9990481/ Neopost® 7465288-01
- For use in: Hasler® Smart Track & WITS "Internal Tracking System"/ Neopost® 7216/ 7218
- Carrier Width: 4 1/8"
- Repeat: 2 5/8"
- Outside Diameter: 3 1/2"
- Non-perforated
- Labels Per Roll: 500
- Rolls Per Carton: 18 (9,000 labels)
- Weight: 25 lbs./ carton



400-250 DT E

400-300 DT E

Size: 4" x 3"

Specifications

- Compares to: Eltron® #800540-305
- Carrier Width: 4 1/8"
- Repeat: 3 1/8"
- Outside Diameter: 3 1/2"
- Perfed Every Label
- Labels Per Roll: 500
- Rolls Per Carton: 18 (9,000 labels)
- Weight: 29 lbs./ carton



400-300 DT E

400-600 DT E

Size: 4" x 6"

Specifications

- Compares to: Eltron® #800540-605/ Hasler® #9990790/ #9990791/ Neopost® #7465288-03
- For use in: Zebra® A300/ DA402/ LP2844Z
- Carrier Width: 4 1/8"
- Repeat: 6 1/8"
- Outside Diameter: 3 1/2"
- Perfed Every Label
- Labels Per Roll: 250
- Rolls Per Carton: 18 (4,500 labels)
- Weight: 28 lbs./ carton



400-600 DT E

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

400-600DT475E

Size: 4" x 6"

Specifications

- Compares to: Eltron® #800264-605/ Hasler® #9990790/ #9990791
- For use in: Eltron®/Zebra® LP2443(Orion)/ LP2642/ LP2742/ LP2824/ LP2844
- Carrier Width: 4 1/8"
- Repeat: 6 1/8"
- Outside Diameter: 5"
- Perfed Every Label
- Labels Per Roll: 475
- Rolls Per Carton: 12 (5,700 labels)
- Weight: 35 lbs./ carton



400-600DT475 E

3" Core**400-600 DT**

Size: 4" x 6"

Specifications

- For use in: Fargo®/ Sato® Printers
- Carrier Width: 4 1/8"
- Repeat: 6 1/8"
- Outside Diameter: 7 5/8"
- Perfed Every Label
- Labels Per Roll: 1,000
- Rolls Per Carton: 4 (4,000 labels)
- Weight: 26 lbs./ carton



400-600 DT

400-600 DT-NT

Size: 4" x 6"

Our Non Top Coated Direct Thermal products are produced using a bright white paper that is designed to be a cost efficient alternative product for 60% to 70% of all direct thermal applications.

Specifications

- For use in: Fargo®/ Sato® Printers
- Carrier Width: 4 1/8"
- Repeat: 6 1/8"
- Outside Diameter: 7 5/8"
- Perfed Every Label
- Labels Per Roll: 1,000
- Rolls Per Carton: 4 (4,000 labels)
- Weight: 26 lbs./ carton

THIS ITEM SPECIAL ORDER ONLY



400-600 DT-NT

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Audit Labels


1" Core / 1" Audit Tab

400-700 DT E AL

Size: 4" x 7"

Specifications

- Compares to: Micro General® #0752-008
- Carrier Width: 4 1/8"
- Repeat: 7 1/8"
- Outside Diameter: 3 1/2"
- Labels Per Roll: 225
- Rolls Per Carton: 18 (4,050 Labels)
- Weight: 30 lbs./ carton




400-700 DT E AF

Size: 4" x 7"

Specifications

- Compares to: Micro General® #0752-008
- Carrier Width: 4 1/8"
- Repeat: 7 1/8"
- Outside Diameter: 3 1/2"
- Labels Per Roll: 225
- Rolls Per Carton: 18 (4,050 Labels)
- Weight: 30 lbs./ carton



3" Core / 1" Audit Tab


400-700 DT AL

Size: 4" x 7"

Specifications

- For use in: Auxiliary core stand in Eltron® Printers
- Carrier Width: 4 1/8"
- Repeat: 7 1/8"
- Outside Diameter: 7 5/8"
- Labels Per Roll: 875
- Rolls Per Carton: 4 (3,500 Labels)
- Weight: 26 lbs./ carton

THIS ITEM SPECIAL ORDER ONLY




400-700 DT AF

Size: 4" x 7"

Specifications

- For use in: Auxiliary core stand in Eltron® Printers
- Carrier Width: 4 1/8"
- Repeat: 7 1/8"
- Outside Diameter: 7 5/8"
- Labels Per Roll: 875
- Rolls Per Carton: 4 (3,500 Labels)
- Weight: 26 lbs./ carton

THIS ITEM SPECIAL ORDER ONLY



Infrared Scannable 1" Core

400-600 IR E

Size: 4" x 6"

Specifications

- Compares to: Eltron® #800540-601/ Hasler® #9990790/ #9990791
- Carrier Width: 4 1/8"
- Repeat: 6 1/8"
- Outside Diameter: 3 1/2"
- Labels Per Roll: 250
- Rolls Per Carton: 18 (4,500 Labels)
- Weight: 29 lbs./ carton



400-600 IR E


Infrared Scannable 1" Core / Document Tab

400-675 IR DTAB

Size: 4" x 6 3/4"

Specifications

- Compares to: Hasler® #9990800/ 9990801
- Carrier Width: 4 1/8"
- Repeat: 6 7/8"
- Outside Diameter: 3 5/8"
- Labels Per Roll: 220
- Rolls Per Carton: 18 (3,960 Labels)
- Weight: 29 lbs./ carton



400-675 IR DTAB

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Cross Reference List

Direct Thermal | Thermal Transfer

Hasler® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#9990460/ 9990461	225-125 DT E	2 1/4" x 1 1/4" Direct Thermal - Standard Labels for use in Direct Thermal Printers	4
#9002820	225-200 DT E	2 1/4" x 2" Direct Thermal - Small labels for use in the Smart Track & WITS "Internal Tracking System"	4
#9002820/ 9002821 (Tinted Substitute)	225-200 DTE YEL	2 1/4" x 2" Direct Thermal Tinted Yellow - Small labels for use in the Smart Track & WITS "Internal Tracking System"	5
#9990480/ 9990481	400-250 DT E	4" x 2 1/2" Direct Thermal - Medium Labels for use in the Smart Track & WITS "Internal Tracking System"	6
Substitute for #9990790/ 9990791	400-600 DT E	4" x 6" Direct Thermal - Large Labels for use in the Smart Track & WITS "Internal Tracking System"	6
Substitute for #9990790/ 9990791	400-600DT475E	4" x 6" Direct Thermal - Large Labels for use in the Smart Track & WITS "Internal Tracking System"	7
#9990790/ 9990791	400-600 IR E	4" x 6" Infrared Scannable Direct Thermal Maxi-Code Label without Document Tab	10
#9990800/ 9990801	400-675 IR DTAB	4" x 6 3/4" Infrared Scannable Direct Thermal Maxi-Code Label w/ Document Tab	10

Neopost® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#7465068-01	250-200 DT E	2 1/2" x 2" Direct Thermal Labels for use in 7216/ 7218	5
#7465288-01	400-250 DT E	4" x 2 1/2" Direct Thermal Labels for use in 7216/ 7218	6
#7465288-03	400-600 DT E	4" x 6" Direct Thermal Labels for use in 7216/ 7218	6

Pitney Bowes® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#745-0	400-1800 DT	Continuous Direct Thermal Roll for use in the J645	2
#661-3	400-2400 DT	Continuous Direct Thermal Roll for use in the J644	2
#655-8	400-5200 DT	Continuous Direct Thermal Roll for use in the J690	3
#674-0	400-6000 DT	Continuous Direct Thermal Roll for use in the J693	3
#665-6	400-7874 DT	Continuous Direct Thermal Roll for use in the J692	3

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Notes

MATRIX LABEL SYSTEMS, INC.

T: 317.839.1973 • 4692 S. County Road 600 E. • Plainfield, Indiana 46168
• F: 317.839.8496 • TF: 800.962.7256 • W: www.matrixlabel.com

"Innovative Solutions in Labels"