



M A T R I X L A B E L
Innovative Solutions in Labels

Postage Meter
Supplies

Table of Contents

DATA-PAC®		6125-INKJET	16
Compatible Meter Tapes		700-PM WJIJ	16
100-300 DT E	2	502-PM	16
		502-PM F	17
FRANCOTYP POSTALIA®		502-IMIS	17
Compatible Meter Tapes		5X5 PINWHEEL® (C)	18
550-ULT	3	Compatible Roll Tapes	
5875-INKJET	3	TR-30 DT	18
600-PM F	3	Remanufactured Ink Cartridges	
600-PM PF	4	PP-105 INKJET	19
650-PM	4		
502-PM	4	PITNEY BOWES®	
502-PM F	5	Compatible Meter Tapes	
5X5 PINWHEEL® (C)	5	600-PM F	20
		600-PM PF	20
HASLER®		600-PM H	21
Compatible Meter Tapes		700-PM	21
425-PM	6	502-PM	21
525-NWR	6	502-PM F	22
525-PM WJIJ	6	5X5 PINWHEEL® (C)	22
5875-INKJET	7	Compatible Roll Tapes	
600-PM F	7	E100A	23
600-PM PF	7	E100P	23
650-PM	8	Compatible Cassette Ribbons	
6125-INKJET	8	700RC	24
700-PM	8	Compatible Ink Cartridges	
700-PM WJIJ	9	E-777	24
502-PM	9	K-777	25
502-PM F	9	M-127IL	25
502-IMIS	10	M-234	25
5X5 PINWHEEL® (C)	10	M-234IL	26
Compatible Roll Tapes		M-344C	26
1312-200 DTU	10	M-555	26
TR-30 DT	11	M-891	27
Remanufactured Ink Cartridges		M-INF	27
PP-105 INKJET	11	Compatible Ink Bottles	
Compatible Ink Rollers		102 W RED	28
P202 SERIES	11	102 W BLUE	28
P204 SERIES	12	102 W BLACK	29
HP®		SECAP®	
Remanufactured Ink Cartridges		Compatible Roll Tapes	
PP-105 INKJET	13	E100A	30
M-8842VFD	13	E100P	30
		Compatible Ink Cartridges	
NEOPOST®		M-555	31
Compatible Meter Tapes		M-891	31
425-PM	14		
525-NWR	14	Cross Reference List	32 - 34
525-PM WJIJ	14		
5875-INKJET	15		
600-PM F	15		
600-PM PF	15		

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Postage Meter Supplies

Data-Pac® Compatible Roll Tape

NEW 100-300 DT E

Size: 1" x 3"

Specifications

- Compares to: #DIB/ DMS-0017
- For use in: DP200
- Carrier Width: 1 1/8"
- Repeat: 3 1/8"
- Outside Diameter: 3 3/8"
- Perfed Every Label
- Labels Per Roll: 500
- Rolls Per Carton: 12 (6,000 Labels)
- Weight: 5 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


Francotyp Postalia® Compatible Meter Tapes

550-ULT

Imprint Area: 2 15/16" - 5" x 1 19/32"

Specifications

- Compares to: Matrix Exclusive
- For use in: UltiMail™ Series
- Sheet Size: 5 1/2" x 1 23/32"
- Sheets/ Pack : 250
- Packs/ Carton: 4
- Cartons/ Case: 8 (32 packs)
- Weight: 3 lbs./ carton




5875-INKJET

Imprint Area: 3 1/2" - 5 5/8" x 1 9/16"

Our 5875-INKJET is the same design as the original 5875-PM Postage Meter Tape. However, the facestock of the 5875-INKJET consists of a material specifically manufactured for the new generation of Ink Jet postage meters.

Specifications

- Compares to: #775/ 776
- For use in: JetMail™
- Sheet Size: 5 7/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 12
- Weight: 9 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED


600-PM F

Imprint Area: 5 1/2" x 1 5/8"

The 6" PM F Full Tape is designed for U.S. Parcel Select® or U.S.P.S. with an advertising imprint. Emulsion adhesive allows the paper to adhere to a wider range of surfaces and the paper stock allows for improved absorption to eliminate ink smearing.

Specifications

- Compares to: Unknown
- For use in: JetMail™
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

600-PM PF


Imprint Area: 5 1/8" x 1 7/16"

The 6" PM PF Full Tape is designed for First Class Presort Ad Plate or U.S. Parcel Select® imprinting. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing.

Specifications

- Compares to: Unknown
- For use in: 7500/ 8500 Series
- Sheet Size: 6" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



650-PM


Imprint Area: 3 3/16" x 1 5/8"

The 6 1/2" Half Tape (3 3/16" on each half) is designed to provide users with an additional 1/2" of imprint area. This will allow for some machine and operator "forgiveness". It benefits the customer and the service department by reducing unnecessary and costly service calls.

Specifications

- Compares to: #916/ 922
- For use in: JetMail™/ M-Series/ Centormail™
- Sheet Size: 6 1/2" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 22 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



502-PM


Imprint Area: 5 1/4" x 1 5/8"

The 502-PM double strip tape was designed specifically for those users that choose to run their postage with an ad plate. The 502-PM offers users an imprint area of 5 1/4" x 1 5/8" allowing plenty of room to imprint postage and an ad plate.

Specifications

- Compares to: #193/ 216
- For use in: T-1000 Series
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


502-PM F

Imprint Area: 3 1/4" - 5 1/4" x 1 5/8"

The 502-PM F double strip tape was designed specifically for those users that choose to run their postage with or without an ad plate. The 502-PM F offers users the option to remove the portion of the tape normally associated with the ad plate imprint (with an easy tear perf) or leave this portion intact and imprint their postage with an ad plate.

Specifications

- Compares to: #193/ 216
- For use in: T-1000 Series
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED


5x5 PINWHEEL® (C)

Imprint Area: 3 3/8" x 1 5/8"

The 5x5 Pinwheel® is designed with users of Hand Feed Meters in mind. It's unique layout provides four (3 3/8" x 1 5/8") tapes per sheet.

Specifications

- Compares to: #828/ 829
- For use in: MyMail™/ T-1000 Series
- Sheet Size: 5" x 5"
- Sheets/ Pack : 150
- Packs/ Carton: 20
- Weight: 24 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED

You can even customize your own Pinwheel® tapes.

What better way to advertise your business, than by placing your company name and reorder information on the postage meter supplies that you sell. Your information will be in front of your customers each and every time they use one of your tapes.



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


Hasler® Compatible Meter Tapes

425-PM

Imprint Area: 3 1/2" x 1 5/8"

Specifications

- Compares to: # 9100050
- For use in: 220i/ 320i/ 335i/ 337i/ 350i/ Powerpost™
- Sheet Size: 4 1/4" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 20
- Cartons/ Case: 3 (60 packs)
- Weight: 20 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED


525-NWR

Imprint Area: 4 1/2" x 1 9/16"

The 525-NWR tape has been fully tested and approved for the Hasler® WJ Series Meters. Each tape has been designed with a 13/16" peel tab for easy handling and faster application. As an additional advantage, a perf-line is printed next to the slit on the peel tab making it easily discernible.

Specifications

- Compares to: Matrix Exclusive
- For use in: WJ60 - WJ250
- Sheet Size: 5 1/4" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 13 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED


525-PM WJIJ

Imprint Area: 4 3/8" x 1 7/16"

The 525-PM WJIJ is designed specifically for the WJ60 - WJ250 series of postage meters. Each tape has been designed with a 3/4" peel tab for easy handling and faster application. This 5 1/4" tape has a black liner that allows the feed sensor of the smaller WJ meters to see the tape.

Specifications

- Compares to: Matrix Exclusive
- For use in: WJ60 - WJ250
- Sheet Size: 5 1/4" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 13 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED



BACK VIEW

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


5875-INKJET**Imprint Area: 3 1/2" - 5 5/8" x 1 9/16"**

Our 5875-INKJET is the same design as the original 5875-PM Postage Meter Tape. However, the facestock of the 5875-INKJET consists of a material specifically manufactured for the new generation of Ink Jet postage meters.

Specifications

- Compares to: #9004030
- For use in: WJ60 - WJ250/ WJ-Pro/ IM-420 - IM-480
- Sheet Size: 5 7/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 12
- Weight: 9 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED


**600-PM F****Imprint Area: 5 1/2" x 1 5/8"**

The 6" PM F Full Tape is designed for U.S. Parcel Select® or U.S.P.S. with an advertising imprint. Emulsion adhesive allows the paper to adhere to a wider range of surfaces and the paper stock allows for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #9100020
- For use in: 120/ 150/ Powerpost™
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED


**600-PM PF****Imprint Area: 5 1/8" x 1 7/16"**

The 6" PM PF Full Tape is designed for First Class Presort Ad Plate or U.S. Parcel Select® imprinting. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #9004010
- For use in: WJ135 - WJ250/ WJ-Pro
- Sheet Size: 6" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


650-PM

Imprint Area: 3 3/16" x 1 5/8"

The 6 1/2" Half Tape (3 3/16" on each half) is designed to provide users with an additional 1/2" of imprint area. This will allow for some machine and operator "forgiveness". It benefits the customer and the service department by reducing unnecessary and costly service calls.

Specifications

- Compares to: #9100010
- For use in: 120-350/ Intelitouch™/ Powerpost™
- Sheet Size: 6 1/2" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 22 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED


6125-INKJET

Imprint Area: 3 1/2" - 6 1/32" x 1 9/16"

The 6125-INKJET strip tape was designed specifically for use in today's new line of digital postage meters from Hasler®. Based off our original INKJET meter tape, the 6125 offers 6 1/8" of overall facestock, allowing Canadian users the opportunity to print their return address and postage on the same tape.

Specifications

- Compares to: #9004030
- For use in: WJ60 - WJ250/ WJ-Pro/ IM-420 - IM-480
- Sheet Size: 6 1/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 12 lbs./ carton




*THIS ITEM IS AVAILABLE BOXED

700-PM

Imprint Area: 3 7/16" x 1 5/8"

Specifications

- Compares to: #9100030
- For use in: 120 - 350/ Powerpost™
- Sheet Size: 7" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 12
- Cartons/ Case: 3 (36 packs)
- Weight: 21 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

700-PM WJIJ


Imprint Area: 3 7/16" x 1 7/16"

The 700-PM WJIJ is designed for the WJ60 - WJ250 and the WJ-Pro. The 700-PM WJIJ offers two tapes (3 7/16" x 1 7/16") per sheet providing users with the most economical and cost competitive postage meter tape on the market. This 7" half tape has a black liner that allows the feed sensor of the smaller IJ meters to see the tape when one label has been removed.

Specifications

- Compares to: #9004020
- For use in: WJ60 - WJ250/ WJ-Pro
- Sheet Size: 7" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 15
- Cartons/ Case: 2 (30 packs)
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



502-PM


Imprint Area: 5 1/4" x 1 5/8"

The 502-PM double strip tape was designed specifically for those users that choose to run their postage with an ad plate. The 502-PM offers users an imprint area of 5 1/4" x 1 5/8" allowing plenty of room to imprint postage and an ad plate.

Specifications

- Compares to: #9004080
- For use in: WJ20
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



502-PM F


Imprint Area: 3 1/4" - 5 1/4" x 1 5/8"

The 502-PM F double strip tape was designed specifically for those users that choose to run their postage with or without an ad plate. The 502-PM F offers users the option to remove the portion of the tape normally associated with the ad plate imprint (with an easy tear perf) or leave this portion intact and imprint their postage with an ad plate.

Specifications

- Compares to: #9004080
- For use in: WJ20
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED




All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

502-IMIS

Imprint Area: 3 1/2" - 5 1/2" x 1 11/16"

Specifications

- Compares to: #9004080
- For use in: WJ20/ IM-330/ IM-350
- Sheet Size: 5 1/2" x 4"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 12 lbs./ carton




5x5 PINWHEEL® (C) Imprint Area: 3 3/8" x 1 5/8"

The 5x5 Pinwheel® is designed with users of Hand Feed Meters in mind. It's unique layout provides four (3 3/8" x 1 5/8") tapes per sheet.

Specifications

- Compares to: #9004570
- For use in: WJ20
- Sheet Size: 5" x 5"
- Sheets/ Pack : 150
- Packs/ Carton: 20
- Weight: 24 lbs./ carton


*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 5" x 5"

You can even customize your own Pinwheel® tapes.

What better way to advertise your business, than by placing your company name and reorder information on the postage meter supplies that you sell. Your information will be in front of your customers each and every time they use one of your tapes.




Hasler® Compatible Roll Tapes

1312-200 DTU

Imprint Area: 1 3/4" x 1 9/32"

Specifications

- Compares to: #9990916
- For use in: Postlink™
- Label Size: 1 9/32" x 2"
- Labels/ Roll : 170
- Rolls/ Carton: 6
- Weight: 1 lb./ carton



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

TR-30 DT

Imprint Area: 1.4375" x 150'

Specifications

- Compares to: #WJR/ 5R
- For use in: WJR30
- Self adhesive roll tape w/ liner
- Core Size: 1"
- 720 tapes per roll
- Rolls/ Carton: 5
- Cartons/ Case: 6 (30 rolls)
- Weight: 4 lbs./ carton



TR-30 DT

Hasler® Remanufactured Ink Cartridges

PP-105 INKJET

Composite Cartridge Remanufactured

Specifications

- Compares to: #PPINKR
- For use in: Powerpost™
- Yield: Up to 36,000 impressions
- Color: Red Fluorescent
- Cartridges/ Set: 2
- Weight: 1 lb./ set



PP-105 INKJET

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

Hasler® Compatible Ink Rollers

Our Ink and Ink Rollers comply with all postal and machine manufacturer specifications. They contain no functional plasticizers, which are on OSHA's list of possible hazardous carcinogen chemicals. Our ink is also in full compliance with California's Proposition 65, Safe Drinking Water and Toxic Enforcement Act of 1986. Our ink and ink rollers are formulated from a high technology emulsion based vehicle of very low viscosity which was developed to comply with all postal scanning requirements.

P202 Series

Water Emulsion Technology

Specifications

- Compares to: #7HS1140/ 7HS1141
- For use in: 101/ 120/ 120i/ 150/ 150i/ 202/ Smart Meter 1263
- Color: Red
- Rollers/ Carton: 20
- Packaging: Shock resistant plastic jars w/ screw locking caps
- Weight: 3 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

P204 Series

Water Emulsion Technology

Specifications

- Compares to: #7HS1150/ 7HS1151
- For use in: Series 204 and up (1263 excluded)
- Color(s): Red/ Blue/ Black/ Uninked
- Rollers/ Carton: 20
- Packaging: Shock resistant plastic jars w/ screw locking caps
- Weight: 5 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

HP® Remanufactured Ink Cartridges

PP-105 INKJET

Composite Cartridge Remanufactured

Specifications

- Compares to: #C6120A
- For use in: Powerpost™/ IJ105
- *Yield: Up to 36,000 impressions
- Color: Red Fluorescent
- Cartridges/ Set: 2
- Weight: 1 lb./ set



PP-105 INKJET

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

M-8842VFD

Composite Cartridge Remanufactured

Please Note: This cartridge has been remanufactured and contains a pigment based black ink designed for high speed printing of porous and coated media.

Specifications

- Compares to: #C8715A/ C8842A
- For use in: A variety of printers
- *PageYield: Up to 850 pages
- Color: Black
- Cartridges/ Set: 1
- Weight: 1 lb./ each



M-8842VFD

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.


Neopost® Compatible Meter Tapes

425-PM

Imprint Area: 3 1/2" x 1 5/8"

Specifications

- Compares to: Matrix Exclusive
- For use in: IJ105
- Sheet Size: 4 1/4" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 20
- Cartons/ Case: 3 (60 packs)
- Weight: 20 lbs./ carton



Sheet Size: 4 1/4" x 1 3/4"

*THIS ITEM IS AVAILABLE BOXED

525-NWR

Imprint Area: 4 7/16" x 1 9/16"

The 525-NWR tape has been fully tested and approved for the Neopost® IJ Series Meters. Each tape has been designed with a 13/16" peel tab for easy handling and faster application. As an additional advantage, a perf-line is printed next to the slit on the peel tab making it easily discernible.

Specifications

- Compares to: Matrix Exclusive
- For use in: IJ65 - IJ110
- Sheet Size: 5 1/4" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 13 lbs./ carton



Sheet Size: 5 1/4" x 1 9/16"

*THIS ITEM IS AVAILABLE BOXED

525-PM WJIJ

Imprint Area: 4 3/8" x 1 7/16"

The 525-PM WJIJ is designed specifically for the IJ65 - IJ110 series of postage meters. Each tape has been designed with a 3/4" peel tab for easy handling and faster application. This 5 1/4" tape has a black liner that allows the feed sensor of the smaller IJ meters to see the tape.

Specifications

- Compares to: Matrix Exclusive
- For use in: IJ65 - IJ110
- Sheet Size: 5 1/4" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 13 lbs./ carton



Sheet Size: 5 1/4" x 1 9/16"



BACK VIEW

*THIS ITEM IS AVAILABLE BOXED

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


5875-INKJET

Imprint Area: 3 1/2" - 5 5/8" x 1 9/16"

Our 5875-INKJET is the same design as the original 5875-PM Postage Meter Tape. However, the facestock of the 5875-INKJET consists of a material specifically manufactured for the new generation of Ink Jet postage meters.

Specifications

- Compares to: #7465233-01
- For use in: IJ35 - IJ110/ IJ-15K/ SM75/ SM85/ SM95/ IS-420 - IS-480
- Sheet Size: 5 7/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 12
- Weight: 9 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED


600-PM F

Imprint Area: 5 1/2" x 1 5/8"

The 6" PM F Full Tape is designed for U.S. Parcel Select® or U.S.P.S. with an advertising imprint. Emulsion adhesive allows the paper to adhere to a wider range of surfaces and the paper stock allows for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #8100028D
- For use in: IJ105
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED


600-PM PF

Imprint Area: 5 1/8" x 1 7/16"

The 6" PM PF Full Tape is designed for First Class Presort Ad Plate or U.S. Parcel Select® imprinting. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #7465427
- For use in: SM58
- Sheet Size: 6" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 14 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

6125-INKJET


Imprint Area: 3 1/2" - 6 1/32" x 1 9/16"

The 6125-INKJET strip tape was designed specifically for use in today's new line of digital postage meters from Neopost®. Based off our original INKJET meter tape, the 6125 offers 6 1/8" of overall facestock, allowing Canadian users the opportunity to print their return address and postage on the same tape.

Specifications

- Compares to: #X 7465233-01
- For use in: IJ35 - IJ110/ IJ-15K/ IS-420 - IS-480
- Sheet Size: 6 1/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 12 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



700-PM WJIJ


Imprint Area: 3 7/16" x 1 7/16"

The 700-PM WJIJ is designed for the IJ65 - IJ110 and the IJ-15K. The 700-PM WJIJ offers two tapes (3 7/16" x 1 7/16") per sheet providing users with the most economical and cost competitive postage meter tape on the market. This 7" half tape has a black liner that allows the feed sensor of the smaller IJ meters to see the tape when one label has been removed.

Specifications

- Compares to: #7465593
- For use in: IJ65 - IJ110/ IJ-15K
- Sheet Size: 7" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 15
- Cartons/ Case: 2 (30 packs)
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



502-PM


Imprint Area: 5 1/4" x 1 5/8"

The 502-PM double strip tape was designed specifically for those users that choose to run their postage with an ad plate. The 502-PM offers users an imprint area of 5 1/4" x 1 5/8" allowing plenty of room to imprint postage and an ad plate.

Specifications

- Compares to: #7465221
- For use in: SM22/ SM26
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

502-PM F


Imprint Area: 3 1/4" - 5 1/4" x 1 5/8"

The 502-PM F double strip tape was designed specifically for those users that choose to run their postage with or without an ad plate. The 502-PM F offers users the option to remove the portion of the tape normally associated with the ad plate imprint (with an easy tear perf) or leave this portion intact and imprint their postage with an ad plate.

Specifications

- Compares to: #7465221
- For use in: SM22/ SM26
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED




NEW 502-IMIS

Imprint Area: 3 1/2" - 5 1/2" x 1 11/16"

Specifications

- Compares to: #7449704
- For use in: IJ25/ IS-330/ IS-350
- Sheet Size: 5 1/2" x 4"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 12 lbs./ carton




5x5 PINWHEEL® (C) Imprint Area: 3 3/8" x 1 5/8"

The 5x5 Pinwheel® is designed with users of Hand Feed Meters in mind. It's unique layout provides four (3 3/8" x 1 5/8") tapes per sheet.

Specifications

- Compares to: #7465252
- For use in: IJ25
- Sheet Size: 5" x 5"
- Sheets/ Pack : 150
- Packs/ Carton: 20
- Weight: 24 lbs./ carton


*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 5" x 5"

You can even customize your own Pinwheel® tapes.

What better way to advertise your business, than by placing you company name and reorder information on the postage meter supplies that you sell. Your information will be in front of your customers each and every time they use one of your tapes.



Neopost® Compatible Roll Tapes

TR-30 DT

Imprint Area: 1.4375" x 150'

Specifications

- Compares to: #4122446P
- For use in: TRTD
- Self adhesive roll tape w/ liner
- Core Size: 1"
- 720 tapes per roll
- Rolls/ Carton: 5
- Cartons/ Case: 6 (30 rolls)
- Weight: 4 lbs./ carton



TR-30 DT

Neopost® Remanufactured Ink Cartridges

PP-105 INKJET

Composite Cartridge Remanufactured

Specifications

- Compares to: #8100032H
- For use in: IJ105
- Yield: Up to 36,000 impressions
- Color: Red Fluorescent
- Cartridges/ Set: 2
- Weight: 1 lb./ set



PP-105 INKJET

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

Pitney Bowes® Compatible Meter Tapes

600-PM F


Imprint Area: 5 1/2" x 1 5/8"

The 6" PM F Full Tape is designed for U.S. Parcel Select® or U.S.P.S. with an advertising imprint. Emulsion adhesive allows the paper to adhere to a wider range of surfaces and the paper stock allows for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/
E210 - 590/ 3C00/ 4C00
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



600-PM PF


Imprint Area: 5 1/8" x 1 7/16"

The 6" PM PF Full Tape is designed for First Class Presort Ad Plate or U.S. Parcel Select® imprinting. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/
E210 - 590/ 3C00/ 4C00
- Sheet Size: 6" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

600-PM H


Imprint Area: 2 15/16" x 1 5/8"

The 600-PM H half strip tape is designed specifically for those users that choose to run their postage without an ad plate. The 600-PM H offers users an imprint area of 2 15/16" x 1 5/8", allowing plenty of room to place a postal indicia.

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210 - 590/ 3C00/ 4C00
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED




700-PM

Imprint Area: 3 7/16" x 1 5/8"

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210 - 590/ 3C00/ 4C00
- Sheet Size: 7" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 12
- Cartons/ Case: 3 (36 packs)
- Weight: 21 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



502-PM


Imprint Area: 5 1/4" x 1 5/8"

The 502-PM double strip tape was designed specifically for those users that choose to run their postage with an ad plate. The 502-PM offers users an imprint area of 5 1/4" x 1 5/8" allowing plenty of room to imprint postage and an ad plate.

Specifications

- Compares to: #612-0/ 612-7/ 612-9/ 620-9
- For use in: 5500/ 5675/ 6200/ 6900/ DM100i®/ 200™/ 200i™/ 200L™/ E600/ B700/ PersonalPost™/ E700/ E707/ mailstation™ (K700)/ mailstation 2™ (K7M0)
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


502-PM F

Imprint Area: 3 1/4" - 5 1/4" x 1 5/8"

The 502-PM F double strip tape was designed specifically for those users that choose to run their postage with or without an ad plate. The 502-PM F offers users the option to remove the portion of the tape normally associated with the ad plate imprint (with an easy tear perf) or leave this portion intact and imprint their postage with an ad plate.

Specifications

- Compares to: #612-0/ 612-7/ 612-9/ 620-9
- For use in: 5500/ 5675/ 6200/ 6900/ DM100i®/ 200™/ 200i™/ 200L™/ E600/ B700/ PersonalPost™/ E700/ E707/ mailstation™ (K700)/ mailstation 2™ (K7M0)
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED


5x5 PINWHEEL® (C)

Imprint Area: 3 3/8" x 1 5/8"

The 5x5 Pinwheel® is designed with users of Hand Feed Meters in mind. It's unique layout provides four (3 3/8" x 1 5/8") tapes per sheet.

Specifications

- Compares to: Matrix Exclusive
- For use in: Hand Feed Meters
- Sheet Size: 5" x 5"
- Sheets/ Pack : 150
- Packs/ Carton: 20
- Weight: 24 lbs./ carton



*THIS ITEM IS AVAILABLE BOXED

You can even customize your own Pinwheel® tapes.

What better way to advertise your business, than by placing your company name and reorder information on the postage meter supplies that you sell. Your information will be in front of your customers each and every time they use one of your tapes.



Pitney Bowes® Compatible Roll Tapes

E100A

Imprint Area: 1 7/16" x 165'

Specifications

- Compares to: #627-8
- For use in: DM500™/ 525™/ 550™/ 575™/ 800™/ 800i™/ 825™/ 875™/ 900™/ 925™/ 1000™/ 1100™/ E100/ Paragon
- 4 15/16" self adhesive roll tape
- 660 tapes per roll w/o an ad plate
- 350 tapes per roll w/ an ad plate
- Rolls/ Carton: 3
- Cartons/ Case: 4 (12 rolls)
- Weight: 3 lbs./ carton



E100A

E100P

Imprint Area: 1 7/16" x 265'

The E100P is designed and manufactured from a high quality facesheet that offers excellent smudge resistance and layflat capabilities. We guarantee that the E100P will provide you with consistent wetting each and every time. Dry gummed printing papers are specifically manufactured with a water-activated permanent adhesive applied to one side. This means there is no need for a backing sheet, and the elimination of waste. The E100P offers you efficiency at your fingertips.

Specifications

- Compares to: #627-2
- For use in: DM800™/ 900™/ 925™/ 1000™/ 1100™/ Galaxy/ Paragon
- 4 15/16" gummed roll tape
- 1060 tapes per roll w/o an ad plate
- 580 tapes per roll w/ an ad plate
- Rolls/ Carton: 6
- Cartons/ Case: 8 (48 rolls)
- Weight: 5 lbs./ carton



E100P

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Pitney Bowes® Compatible Cassette Ribbons

700RC

Compatible Cassette Ribbon

Specifications

- Compares to: #767-1
- For use in: B700
- Yield: Up to 2,000 impressions
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cassettes/ Carton: 1
- Weight: 1 lb./ carton



700RC

Please Note:

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

Pitney Bowes® Compatible Ink Cartridges

E-777

Compatible Ink Cartridge

Specifications

- Compares to: #769-0
- For use in: Personal Post™/ E700/ E707
- Yield: Up to 600 impressions
- Capacity: 20ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



E-777

Please Note:

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

K-777

Compatible Ink Cartridge

Specifications

- Compares to: #797-0/ 797-M
- For use in: mailstation™ (K700) / mailstation 2 (K7M0)
- Yield: Up to 800 impressions
- Capacity: 20ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



K-777

M-127IL

Compatible Ink Cartridge

Specifications

- Compares to: #793-5
- For use in: DM100i®/ 200L™/ P700
- Yield:
 - Up to 3,000 impressions without an envelope ad
 - Up to 2,500 impressions with an envelope ad
- Capacity: 35ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-127IL

M-234

Compatible Ink Cartridge

Specifications

- Compares to: #765-0
- For use in: DM200™/ 300™/ 400™
- Yield:
 - Up to 7,000 impressions without an envelope ad
 - Up to 3,800 impressions with an envelope ad
- Capacity: 30ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-234

Please Note:

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

M-234IL

Compatible Ink Cartridge

Specifications

- Compares to: #765-3
- For use in: DM200i™/ 300i™/ 300L™/ 400i™/ 400L™
- Yield:
Up to 8,000 impressions without an envelope ad
Up to 4,000 impressions with an envelope ad
- Capacity: 34ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-234IL

M-344C

Compatible Ink Cartridge

Specifications

- Compares to: #765-9
- For use in: DM300™c/ 400™c/ 450™c/ 3C00/ 4C00/ 5C00
- Yield:
Up to 8,000 impressions without an envelope ad
Up to 4,000 impressions with an envelope ad
- Capacity: 40ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-344C

M-555

Compatible Ink Cartridge

Specifications

- Compares to: #621-1
- For use in: DM500™/ 525™/ 550™/ 575™
- Yield: Up to 15,500 impressions without an envelope ad
- Capacity: 70ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-555

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

M-891

Compatible Ink Cartridge

Specifications

- Compares to: #766-8
- For use in: DM800™/ 800i™/ 825™/ 875™/ 900™/ 925™/ 1000™/ 1100™
- Yield: Up to 53,000 impressions
- Capacity: 195ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-891

M-INF

Compatible Ink Cartridge

Specifications

- Compares to: #772-1/ 772-2
- For use in: DM16K/ 22K/ 22KR
- Yield:
 - Small Indicia - Up to 595,000 impressions
 - Large Indicia - Up to 225,000 impressions
- Capacity: 340ml
- Color: Black
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 2
- Weight: 2.5 lb./ carton



M-INF

Please Note:

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

Pitney Bowes® Compatible Ink

Water-Based Emulsion Fluorescent Postage Meter Ink

Our Fluorescent Postage Meter Ink is the first on the U.S. market to use water emulsion technology. This postage meter ink is safe to use, guaranteed not to separate or leak for one year, reduces normal clean and shine machine maintenance by 50%, dries faster on a wider range of printing surfaces, and comes out of clothes without staining.

102 W RED

Specifications

- Compares to: #609-0
- For use in: 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570
- Yield: Up to 225,000 impressions
- Capacity: 1 Pt. (16 fl. oz.)
- Color: Red
- Bottles/ Carton: 16
- Packaging: Clear, shock resistant bottles w/ funnel spouts & lock caps
- Weight: 19 lbs./ carton

PHOTO NOT AVAILABLE

102 W BLUE

Specifications

- Compares to: #609-2
- For use in: 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570
- Yield: Up to 225,000 impressions
- Capacity: 1 Pt. (16 fl. oz.)
- Color: Blue
- Bottles/ Carton: 16
- Packaging: Clear, shock resistant bottles w/ funnel spouts & lock caps
- Weight: 19 lbs./ carton



102 W BLUE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

102 W BLACK

Specifications

- Compares to: #609-3
- For use in: 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570
- Yield: Up to 225,000 impressions
- Capacity: 1 Pt. (16 fl. oz.)
- Color: Black
- Bottles/ Carton: 16
- Packaging: Clear, shock resistant bottles w/ funnel spouts & lock caps
- Weight: 19 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Secap® Compatible Roll Tapes

E100A

Imprint Area: 1 7/16" x 165'

Specifications

- Compares to: #S27-8
- For use in: DP500™/ 525™/ 550™/ 575™/ 800™/ 825™/ 875™/ 1000™/ 1100™
- 4 15/16" self adhesive roll tape
- 660 tapes per roll w/o an ad plate
- 350 tapes per roll w/ an ad plate
- Rolls/ Carton: 3
- Cartons/ Case: 4 (12 rolls)
- Weight: 3 lbs./ carton



E100A

E100P

Imprint Area: 1 7/16" x 265'

The E100P is designed and manufactured from a high quality facesheet that offers excellent smudge resistance and layflat capabilities. We guarantee that the E100P will provide you with consistent wetting each and every time. Dry gummed printing papers are specifically manufactured with a water-activated permanent adhesive applied to one side. This means there is no need for a backing sheet, and the elimination of waste. The E100P offers you efficiency at your fingertips.

Specifications

- Compares to: #S27-2
- For use in: DP800™/ 825™/ 875™/ 1000™/ 1100™
- 4 15/16" gummed roll tape
- 1060 tapes per roll w/o an ad plate
- 580 tapes per roll w/ an ad plate
- Rolls/ Carton: 6
- Cartons/ Case: 8 (48 rolls)
- Weight: 5 lbs./ carton



E100P

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Secap® Compatible Ink Cartridges

M-555

Compatible Ink Cartridge

Specifications

- Compares to: #S20-1
- For use in: DP500™/ 525™/ 550™/ 575™
- Yield: Up to 15,500 impressions without an envelope ad
- Capacity: 70ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-555

M-891

Compatible Ink Cartridge

Specifications

- Compares to: #S67-8
- For use in: DP800™/ 825™/ 875™/ 1000™/ 1100™
- Yield: Up to 53,000 impressions
- Capacity: 195ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-891

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Cross Reference List

Postage Meter Supplies

Data-Pac® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#DIB/ DMS-0017	100-300 DT E	Direct Thermal Roll Tape for use in the DP200 Series Mailing Machine	2

Francotyp Postalia® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
MATRIX EXCLUSIVE	550-ULT	5 1/2" x 1 23/32" Tape w/ Perf for use in the UltiMail™ Series	3
#775/ 776	5875-PM	5 7/8" x 1 9/16" Tape w/ Perf for use in the 7500/ 8500/ JetMail™	3
#775/ 776	5875-INKJET	5 7/8" x 1 9/16" Tape w/ Perf for use in the JetMail™	3
UNKNOWN	600-PM F	6" x 1 3/4" Full Tape for use in the JetMail™	4
UNKNOWN	600-PM PF	6" x 1 9/16" Full Tape for use in the 7500/ 8500 Series Meters	4
#916/ 922	650-PM	6 1/2" x 1 3/4" Half Tape for use in the JetMail™/ M-Series	4
#193/ 216	502-PM	Two 5 1/4" x 1 5/8" Tapes per sheet for use in the T-1000 Series Meters	5
#193/ 216	502-PM F	Two 5 1/4" x 1 5/8" Tapes per sheet w/ Perf for use in the T-1000 Series Meters	5
#828/ 829	5X5 PINWHEEL®/ 5X5 PINWHEEL® C	5" x 5" Sheet w/ Four 3 3/8" x 1 5/8" Tapes for use in the MyMail™/ T-1000 Series Meters	6

Hasler® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#9100050	425-PM	4 1/4" x 1 3/4" Shorty Tape® for use in the Powerpost™	7
MATRIX EXCLUSIVE	525-NWR	5 1/4" x 1 9/16" Short Tape for use in the WJ60-WJ250	7
MATRIX EXCLUSIVE	525-PM WJJ	5 1/4" x 1 9/16" Short Tape for use in the WJ60-WJ250	7
#9004030	5875-INKJET	5 7/8" x 1 9/16" Tape w/ Perf for use in the WJ60 - WJ250/ WJ-Pro/ IM-420 - IM-480	8
#9100020	600-PM F	6" x 1 3/4" Full Tape for use in the Powerpost™	8
#9004010	600-PM PF	6" x 1 9/16" Full Tape for use in the WJ135 - WJ250/ WJ-Pro	8
#9100010	650-PM	6 1/2" x 1 3/4" Half Tape for use in the Powerpost™	9
#9004030	6125-INKJET	6 1/8" x 1 9/16" Tape w/ Perf for use in the WJ60 - WJ250/ WJ-Pro/ IM-420 - IM-480	9
#9100030	700-PM	7" x 1 3/4" Half Tape for use in the Powerpost™	9
#9004020	700-PM WJJ	7" x 1 9/16" Half Tape for use in the WJ60 - WJ250/ WJ-Pro	10
#9004080	502-PM	Two 5 1/4" x 1 5/8" Tapes per sheet for use in the WJ20	10
#9004080	502-PM F	Two 5 1/4" x 1 5/8" Tapes per sheet w/ Perf for use in the WJ20	10
#9004080	502-IMIS	Two 5 1/2" x 1 11/16" Tapes per sheet w/ Perf for use in the WJ20/IM-330/IM-350	11
#9004570	5X5 PINWHEEL®/ 5X5 PINWHEEL® C	5" x 5" Sheet w/ Four 3 3/8" x 1 5/8" Tapes for use in the WJ20	11
#9990916	1312-200 DTU	Direct Thermal Labels for use in the Postlink™	11

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#WJR/ 5R	TR-30DT	Direct Thermal Continuous Label for use in the WJR30	12
#PPINKR	PP-105 INKJET	Set of 2 Remanufactured Ink Cartridges for use in the Powerpost™	12
#7HS1140/7HS1141	P202 SERIES	Small Impression Rollers for use in the 101/120/120i/150/150i/202/Smart Meter 1263	13
#7HS1150/7HS1151	P204 SERIES	Large Impression Rollers for use in the Series 204 and up (1263 excluded)	13

HP® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#C6120A	PP-105 INKJET	Set of 2 Remanufactured Ink Cartridges for use in the Hasler® Powerpost™/ Neopost® IJ105	14
#C8842A	M-8842VFD	Remanufactured Ink Cartridge for use in a variety of printers	14

Neopost® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
MATRIX EXCLUSIVE	425-PM	4 1/4" x 1 3/4" Shorty Tape® for use in the IJ105	15
MATRIX EXCLUSIVE	525-NWR	5 1/4" x 1 9/16" Short Tape for use in the IJ65 - IJ110	15
MATRIX EXCLUSIVE	525-PM WJJ	5 1/4" x 1 9/16" Short Tape for use in the IJ65 - IJ110	15
#7465201	5875-PM	5 7/8" x 1 9/16" Tape w/ Perf for use in the SM22/ SM26	16
#7465233-01	5875-INKJET	5 7/8" x 1 9/16" Tape w/ Perf for use in the IJ35 - IJ110/ IJ-15K/ SM75/ SM85/ SM95/ IS-420 - IS-480	16
#8100028D	600-PM F	6" x 1 3/4" Full Tape for use in the IJ105	16
#7465427	600-PM PF	6" x 1 9/16" Full Tape for use in the SM58	17
#X 7465233-01	6125-INKJET	6 1/8" x 1 9/16" Tape w/ Perf for use in the IJ35 - IJ110/ IJ-15K/ IS-420 - IS-480	17
#7465593	700-PM WJJ	7" x 1 9/16" Half Tape for use in the IJ65 - IJ110/ IJ-15K	17
#7465221	502-PM	Two 5 1/4" x 1 5/8" Tapes per sheet for use in the SM22/ SM26	18
#7465221	502-PM F	Two 5 1/4" x 1 5/8" Tapes per sheet w/ Perf for use in the SM22/ SM26	18
#7449704	502-IMIS	Two 5 1/2" x 1 11/16" Tapes per sheet w/ Perf for use in the IJ25/ IS-330/ IS-350	18
#7465252	5X5 PINWHEEL®/ 5X5 PINWHEEL® C	5" x 5" Sheet w/ Four 3 3/8" x 1 5/8" Tapes for use in the IJ25	19
#4122446P	TR-30DT	Direct Thermal Continuous Label for use in the TRTD	19
#8100032H	PP-105 INKJET	Set of 2 Remanufactured Ink Cartridges for use in the IJ105	20

Pitney Bowes® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#625-0	600-PM F	6" x 1 3/4" Full Tape for use in the DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210-590/ 3C00/ 4C00	21
#625-0	600-PM PF	6" x 1 9/16" Full Tape for use in the DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210-590/ 3C00/ 4C00	21
#625-0	600-PM H	6" x 1 9/16" Half Tape for use in the DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210-590/ 3C00/ 4C00	22

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#612-0/612-7/612-9	502-PM	Two 5 1/4" x 1 5/8" Tapes per sheet for use in the 5500/ 5675/ 6200/ 6900/ DM100i®/ 200™/ 200i™/ 200L™/ E600/ B700/ Personal Post™/ E700/ E707/ mailstation™ (K700)/ mailstation2™ (K7M0)	22
#612-0/612-7/612-9	502-PM F	Two 5 1/4" x 1 5/8" Tapes per sheet w/ Perf for use in the 5500/ 5675/ 6200/ 6900/ DM100i®/ 200™/ 200L™/ E600/ B700/ Personal Post™/ E700/ E707/ mailstation™ (K700)/ mailstation2™ (K7M0)	23
MATRIX EXCLUSIVE	5X5 PINWHEEL®/ 5X5 PINWHEEL® C	5" x 5" Sheet w/ Four 3 3/8" x 1 5/8" Tapes for use in Hand Feed Meters	23
#627-8	E100A	Pressure Sensitive Adhesive Roll Tape for use in the DM500™/ 525™/ 550™/ 575™/ 800™/ 800i™/ 825™/ 875™/ 900™/ 1000™/ 1100™/ E100/ Paragon	24
#627-2	E100P	Gum Roll Tape for use in the DM800™/ 900™/ 925™/ 1000™/ 1100™/ Galaxy/ Paragon	24
#767-1	700RC	Compatible Fluorescent Red Cassette Ribbon for use in the B700	25
#769-0	E-777	Compatible Fluorescent Red Ink Cartridge for use in the Personal Post™/ E700/ E707	25
#797-0	K-777	Compatible Fluorescent Red Ink Cartridge for use in the mailstation™/ K700	26
#793-5	M-127IL	Compatible Fluorescent Red Ink Cartridge for use in the DM100i®/ 200L™/ P700	26
#765-0	M-234	Compatible Fluorescent Red Ink Cartridge for use in the DM200™/ 300™/ 400™	26
#765-3	M-234IL	Compatible Fluorescent Red Ink Cartridge for use in the DM200i™/ 300i™/ 300L™/ 400i™/ 400L™	27
#765-9	M-344C	Compatible Fluorescent Red Ink Cartridge for use in the DM300™c/ 400™c/ 450™c/ 3C00/ 4C00/ 5C00	27
#621-1	M-555	Compatible Fluorescent Red Ink Cartridge for use in the DM500™/ 525™/ 550™/ 575™	27
#766-8	M-891	Compatible Fluorescent Red Ink Cartridge for use in the DM800™/ 800i™/ 825™/ 875™/ 900™/ 925™/ 1000™/ 1100™	28
#772-1 #772-2 (Twin Pack)	M-INF	Compatible Fluorescent Red Ink Cartridge for use in the DM16K/ 22K/ 22KR	28
#609-0	102 RED O	Oil-Based Emulsion Fluorescent Red Ink for use in the 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570	29
#609-0	102 W RED	Water-Based Emulsion Fluorescent Red Ink for use in the 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570	29
#609-2	102 W BLUE	Water-Based Emulsion Fluorescent Red Ink for use in the 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570	30
#609-3	102 W BLACK	Water-Based Emulsion Fluorescent Red Ink for use in the 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570	30

Secap® Compatible

OEM#	PRODUCT CODE	ADDITIONAL INFORMATION	PAGE #
#627-8	E100A	Pressure Sensitive Adhesive Roll Tape for use in the DM500™/ 525™/ 550™/ 575™/ 800™/ 800i™/ 825™/ 875™/ 900™/ 1000™/ 1100™/ E100/ Paragon	31
#627-2	E100P	Gum Roll Tape for use in the DM800™/ 900™/ 925™/ 1000™/ 1100™/ Galaxy/ Paragon	31
#520-1	M-555	Compatible Fluorescent Red Ink Cartridge for use in the DP500™/ 525™/ 550™/ 575™	32
#567-8	M-891	Compatible Fluorescent Red Ink Cartridge for use in the DP800™/ 900™/ 925™/ 1000™	32

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Notes

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Notes

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

MATRIX LABEL SYSTEMS, INC.

T: 317.839.1973 • 4692 S. County Road 600 E. • Plainfield, Indiana 46168
• F: 317.839.8496 • TF: 800.962.7256 • W: www.matrixlabel.com

"Innovative Solutions in Labels"