



M A T R I X   L A B E L  
Innovative Solutions in Labels

Postal Sealing  
Tabs

# Table of Contents

3/4" TAB		100-20K CL VP	12
34-20K TL	2	100-20K TL	12
34-20K TL VP	2	100-20K TL VP	12
34 TAB-20	2	100 TAB-20	12
34 TAB-20 VP	2	100 TAB-20 VP	12
		100-40K CL VP	13
7/8" TAB		100-40K TL	13
TL-100	3		
TL-100 T	3	1 1/4" TAB	
TL-100 R	3	125K CL	13
		125K CL VP	13
31/32" TAB		125K TL	14
C-TABS TL	4	125K TL VP	14
C-TABS 3125	4	125 TAB	14
C-TABS P	4	125 TAB VP	14
15/16" TAB		1 1/2" TAB	
1516-5 CMBL HP	5	150 TAB-3	14
1516-5 TL	5	150-4 TL	15
1516-5 TL HP	5	150-10K CL	15
1516-5 TLNB	6	150-10K TL	15
1516 TAB-5	6	150 TAB-10	16
1516 TAB-5 HP	6	150-15K TL	16
1516-10 TL	6	150 TAB-20	16
1516 PINFED 10	7	150-25K CL	17
1516 TAB-10	7	150-25K TL	17
1516 TAB-15	7		
1516 TAB-15 VP	7	MACHINE SPECIFICATIONS	18 - 21
1516-20K CL VP	8		
1516-20K TL	8	TABBING MACHINE INFORMATION	22
1516-20K TL VP	8		
1516 TAB-20	8	NOTES	23 - 28
1516 TAB-20 VP	8		
1516-30K CL VP	9		
1516-30K TL	9		
1516 TAB-30	9		
1516 TAB-30 VP	9		
1516-40K CL VP	10		
1516-40K TL	10		
1516-40K TL VP	10		
1516 TAB-40	10		
1516 TAB-40 VP	10		
1" TAB			
100-5 CL	11		
100-5 CL HP	11		
100-5 TL	11		
100 TAB-5	11		

# Postal Sealing Tabs

Matrix Label Systems' **Postal Sealing Tabs** are manufactured from only the highest quality paper stock and films. Our Postal Sealing Tabs have been designed and developed to meet or exceed all U.S.P.S. postal compliance requirements for adhesion and tensile strength. This includes surfaces rated "a through h" and tensile strength requirements "type I and II". Our tabs are manufactured to provide a high initial quick stick to a wide range of surfaces including coated papers, and include 40 lb. or 50 lb. backing sheets that have been custom treated to withstand the high speed dispensing applications of today's tabbing machines.

## 3/4" Circle Tabs

### 34-20K TL (VP)

Size: 3/4" Circle

#### Specifications

- Description: Translucent Paper
- Repeat: 5/6"
- Carrier: 7/8"
- OD: 11 1/2"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 5 (100,000 tabs)
- Weight: 21 lbs./ carton

\*THIS ITEM SPECIAL ORDER ONLY\*

PHOTO NOT AVAILABLE



34K TL

PHOTO NOT AVAILABLE



34K TL VP

### 34 TAB-20 (VP)

Size: 3/4" Circle

#### Specifications

- Description: White Litho Paper
- Repeat: 5/6"
- Carrier: 7/8"
- OD: 13 1/4"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 5 (100,000 tabs)
- Weight: 24 lbs./ carton


\*THIS ITEM SPECIAL ORDER ONLY\*

PHOTO NOT AVAILABLE



34 TAB

PHOTO NOT AVAILABLE



34 TAB VP

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# 7/8" Circle Tabs

## TL-100

Size: 7/8" Square

Special Note: The TL-100 is the only tab recommended for use in the Mail Express.

### Specifications

- Compares to: Rena #1501
- Description: White Litho Paper
- Fanfold: Yes
- Repeat: 1"
- Carrier: 1"
- Tabs Per Carton: 25,000
- Cartons Per Case: 4 (100,000 tabs)
- Weight: 27 lbs./ case




TL-100

## TL-100 T

Size: 7/8" Square

### Specifications

- Description: White Litho Paper
- Fanfold: Yes
- Repeat: 1"
- Carrier: 1"
- Tabs Per Carton: 25,000
- Cartons Per Case: 4 (100,000 tabs)
- Weight: 27 lbs./ case



TL-100T

## TL-100 R

Size: 7/8" Square

The TL-100 R is not recommended for use in the Martin Yale EX5100. This product may be used in Rena tabbers with an +auxiliary roll stand.

### Specifications

- Description: White Litho Paper
- Repeat: 1"
- Carrier: 1"
- OD: 7 9/16"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 27 lbs./ carton



TL-100R

\*THIS ITEM SPECIAL ORDER ONLY\*

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


# 31/32" Circle Tabs

## C-TABS TL

Size: 31/32" Circle

### Specifications

- For use in: Asmarc QT/ Martin Yale EX5000  
(Testing is Recommended)
- Description: Translucent Paper
- Repeat: 1 1/16"
- Carrier: 1 3/4"
- OD: 6 3/8"
- Tabs Per Roll: 3,125
- Rolls Per Carton: 32 (100,000 tabs)
- Weight: 35 lbs./ carton




C-TABS TL

## C-TABS 3125

Size: 31/32" Circle

### Specifications

- For use in: Asmarc QT/ Martin Yale EX5000/ Neopost® TA40/ Rena T-150  
(Testing is Recommended)
- Description: White Litho Paper
- Repeat: 1 1/16"
- Carrier: 1 3/4"
- OD: 6 3/8"
- Tabs Per Roll: 3,125
- Rolls Per Carton: 32 (100,000 tabs)
- Weight: 35 lbs./ carton




C-TABS 3125

## C-TABS P

Size: 31/32" Circle

### Specifications

- For use in: Asmarc QT/ Martin Yale EX5000/ Neopost® TA40/ Rena T-150  
(Testing is Recommended)
- Description: White Litho Paper
- Repeat: 1 1/16"
- Carrier: 1 3/4"
- OD: 6 3/8"
- Tabs Per Roll: 3,125
- Rolls Per Carton: 32 (100,000 tabs)
- Weight: 35 lbs./ carton



C-TABS P

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


# 15/16" Circle Tabs

## 1516-5 CMBL HP

Size: 15/16" Circle

### Specifications

- For use in: Asmarc KT/ KT-2/ Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Martin Yale EX5100/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030
- Description: Clear Matte Film w/ a brown kraft liner
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 7 3/4"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 24 lbs./ carton



1516 CMBL HP

## 1516-5 TL

Size: 15/16" Circle

### Specifications

- For use in: Asmarc KT/ KT-2/ Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Martin Yale EX5100/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030
- Description: Translucent Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 7"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 23 lbs./ carton



1516 TL

## 1516-5 TL HP

Size: 15/16" Circle

### Specifications

- For use in: Asmarc KT/ KT-2/ Astro/ Datatech/ Scriptomatic/ Jet Tabber/ Martin Yale EX5100/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030
- Description: Translucent Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 7"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 23 lbs./ carton



1516 TL HP


All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# 1516-5 TLNB

Size: 15/16" Circle

## Specifications

- For use in: Asmarc KT/ KT-2/ Jet Tabber/ Martin Yale EX5100/ Neopost® TA50/ TA60/ Rena T-300/ T-600
- Description: Translucent Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 7"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 23 lbs./ carton




1516 TLNB

# 1516 TAB-5 (HP)


Size: 15/16" Circle

## Specifications

- For use in: Asmarc KT/ KT-2/ Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Martin Yale EX5100/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Rena T-300/ T-600/ Secap® 1012/ 1030
- Description: White Litho Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 7 1/2"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 23 lbs./ carton



1516 TAB



1516 TAB HP

# 1516-10 TL

Size: 15/16" Circle

## Specifications

- For use in: Astro 9600/ Datatech/ Scriptomatic 1012/ Pitney Bowes® W350/ Secap® 1012/ 1030
- Description: Translucent Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 9 1/4"
- Tabs Per Roll: 10,000
- Rolls Per Carton: 10 (100,000 tabs)
- Weight: 21 lbs./ carton



1516 TL


All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# 1516 PINFED 10

Size: 15/16" Circle

## Specifications

- For use in: Prin2mail T21KS/ T21KI/ Secap® 2020
- Description: White Litho Paper
- Repeat: 1"
- Carrier: 1 3/4"
- OD: 9 15/16"
- Tabs Per Roll: 10,000
- Rolls Per Carton: 6 (60,000 tabs)
- Weight: 19 lbs./ carton




1516 PINFED

# 1516 TAB-10

Size: 15/16" Circle

## Specifications

- For use in: Astro 9600/ Datatech/ Scriptomatic 1012/ Pitney Bowes® W350/ Secap® 1012/ 1030
- Description: White Litho Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 10"
- Tabs Per Roll: 10,000
- Rolls Per Carton: 10 (100,000 tabs)
- Weight: 24 lbs./ carton



1516 TAB


# 1516 TAB-15 (VP)

Size: 15/16" Circle


## Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: White Litho Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 12"
- Tabs Per Roll: 15,000
- Rolls Per Carton: 8 (120,000 tabs)
- Weight: 28 lbs./ carton

PHOTO NOT AVAILABLE



1516 TAB



1516 TAB VP


All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

## 1516-20K CL VP

Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: Clear Film
- Repeat: 1 1/16"
- Carrier: 1 1/16"
- OD: 13"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 5 (100,000 tabs)
- Weight: 23 lbs./ carton




1516K CL VP

## 1516-20K TL (VP)

Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: Translucent Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 12 1/2"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 5 (100,000 tabs)
- Weight: 23 lbs./ carton



1516K TL




1516K TL VP

## 1516 TAB-20 (VP)


Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: White Litho Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 13 5/8"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 5 (100,000 tabs)
- Weight: 23 lbs./ carton



1516 TAB



1516 TAB VP

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

## 1516-30K CL VP

Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: Clear Film
- Repeat: 1 1/16"
- Carrier: 1 1/16"
- OD: 15 3/4"
- Tabs Per Roll: 30,000
- Rolls Per Carton: 5 (150,000 tabs)
- Weight: 33 lbs./ carton



1516K CL VP

## 1516-30K TL

Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap Jet® 1/ PrintStream
- Description: Translucent Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 15 1/8"
- Tabs Per Roll: 30,000
- Rolls Per Carton: 5 (150,000 tabs)
- Weight: 34 lbs./ carton




1516K TL

## 1516 TAB-30 (VP)



Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: White Litho Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 16 3/4"
- Tabs Per Roll: 30,000
- Rolls Per Carton: 5 (150,000 tabs)
- Weight: 35 lbs./ carton



1516 TAB



1516 TAB VP


All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

## 1516-40K CL VP

Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: Clear Film
- Repeat: 1 1/16"
- Carrier: 1 1/16"
- OD: 17 3/4"
- Tabs Per Roll: 40,000
- Rolls Per Carton: 5 (200,000 tabs)
- Weight: 46 lbs./ carton




1516K CL VP

## 1516-40K TL (VP)


Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: Translucent Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 17 1/2"
- Tabs Per Roll: 40,000
- Rolls Per Carton: 5 (200,000 tabs)
- Weight: 45 lbs./ carton



1516K TL




1516K TL VP

## 1516 TAB-40 (VP)


Size: 15/16" Circle

### Specifications

- For use in: Astro 9900/ Buskro/ Videojet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-ProTab/ Secap® Jet 1/ PrintStream
- Description: White Litho Paper
- Repeat: 1"
- Carrier: 1 1/16"
- OD: 19 3/8"
- Tabs Per Roll: 40,000
- Rolls Per Carton: 5 (200,000 tabs)
- Weight: 48 lbs./ carton



1516 TAB



1516 TAB VP

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# 1" Tab

## 100-5 CL (HP)

Size: 1" Circle

### Specifications

- For use in: Asmarc KT/ KT-2/ Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030
- Description: Clear Film
- Repeat: 1 1/8"
- Carrier: 1 1/8"
- OD: 7 1/4"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 25 lbs./ carton



100 CL



100 CL HP

## 100-5 TL

Size: 1" Circle

### Specifications

- For use in: Asmarc KT/ KT-2/ Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030
- Description: Translucent Paper
- Repeat: 1 1/8"
- Carrier: 1 1/8"
- OD: 7 3/4"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 24 lbs./ carton



100 TL

## 100 TAB-5

Size: 1" Circle

### Specifications

- For use in: Asmarc KT/ KT-2/ Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030
- Description: White Litho Paper
- Repeat: 1 1/8"
- Carrier: 1 1/8"
- OD: 7 3/4"
- Tabs Per Roll: 5,000
- Rolls Per Carton: 20 (100,000 tabs)
- Weight: 29 lbs./ carton



100 TAB


All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# 100-20K CL VP

Size: 1" Circle

## Specifications

- For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream
- Description: Clear Film
- Repeat: 1 1/8"
- Carrier: 1 1/8"
- OD: 12 3/4"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 5 (100,000 tabs)
- Weight: 23 lbs./ carton




100K CL VP

# 100-20K TL (VP)


Size: 1" Circle

## Specifications

- For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream
- Description: Translucent Paper
- Repeat: 1 1/8"
- Carrier: 1 1/8"
- OD: 12 3/4"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 5 (100,000 tabs)
- Weight: 23 lbs./ carton



100K TL



100K TL VP


# 100 TAB-20 (VP)

Size: 1" Circle

## Specifications


- For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream
- Description: White Paper
- Repeat: 1 1/8"
- Carrier: 1 1/8"
- OD: 15"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 5 (100,000 tabs)
- Weight: 29 lbs./ carton

PHOTO NOT AVAILABLE



100 TAB

PHOTO NOT AVAILABLE



100 TAB VP

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# 100-40K CL VP

Size: 1" Circle

## Specifications

- For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream
- Description: Clear Film
- Repeat: 1 1/8"
- Carrier: 1 1/8"
- OD: 18 1/8"
- Tabs Per Roll: 40,000
- Rolls Per Carton: 5 (200,000 tabs)
- Weight: 52 lbs./ carton



100K CL VP

# NEW 100-40K TL

Size: 1" Circle

## Specifications

- For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream
- Description: Translucent Paper
- Repeat: 1 1/8"
- Carrier: 1 1/8"
- OD: 18 1/8"
- Tabs Per Roll: 40,000
- Rolls Per Carton: 5 (200,000 tabs)
- Weight: 52 lbs./ carton



100K TL

# 1 1/4" Tab

## 125K CL (VP)


Size: 1 1/4" Circle

## Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 3/8" carrier
- Description: Clear Film
- Repeat: 1 3/8"
- Carrier: 1 3/8"



125K CL



125K CL VP


All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

## 125K TL (VP)


Size: 1 1/4" Circle

### Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 3/8" carrier
- Description: Translucent Paper
- Repeat: 1 3/8"
- Carrier: 1 3/8"



125K TL




125K TL VP

## 125 TAB (VP)


Size: 1 1/4" Circle

### Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 3/8" carrier
- Description: White Litho Paper
- Repeat: 1 3/8"
- Carrier: 1 3/8"



125 TAB



125 TAB VP

## 1 1/2" Tab


### NEW 150 TAB-3

Size: 1 1/2" Circle

### Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: White Litho Paper
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 7 3/8"
- Tabs Per Roll: 3,000
- Rolls Per Carton: 10 (30,000 tabs)
- Weight: 18 lbs./ carton

PHOTO NOT AVAILABLE



150 TAB


**NEW 150-4 TL**

Size: 1 1/2" Circle

**Specifications**

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: Translucent Paper
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 7 1/8"
- Tabs Per Roll: 4,000
- Rolls Per Carton: 10 (40,000 tabs)
- Weight: 20 lbs./ carton

PHOTO NOT AVAILABLE



150K TL


**150-10K CL**

Size: 1 1/2" Circle

**Specifications**

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: Clear Film
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 10 7/8"
- Tabs Per Roll: 10,000
- Rolls Per Carton: 3 (30,000 tabs)
- Weight: 15 lbs./ carton

PHOTO NOT AVAILABLE



150K CL


**150-10K TL**

Size: 1 1/2" Circle

**Specifications**

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: Translucent Paper
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 10 1/2"
- Tabs Per Roll: 10,000
- Rolls Per Carton: 3 (30,000 tabs)
- Weight: 15 lbs./ carton

PHOTO NOT AVAILABLE



150K TL

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


## 150 TAB-10

Size: 1 1/2" Circle

### Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: White Litho Paper
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 12 3/8"
- Tabs Per Roll: 10,000
- Rolls Per Carton: 3 (30,000 tabs)
- Weight: 18 lbs./ carton

PHOTO NOT AVAILABLE



150 TAB


## NEW 150-15K TL

Size: 1 1/2" Circle

### Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: Translucent Paper
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 13"
- Tabs Per Roll: 15,000
- Rolls Per Carton: 4 (60,000 tabs)
- Weight: NA

PHOTO NOT AVAILABLE



150K TL


## 150 TAB-20

Size: 1 1/2" Circle

### Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: White Litho Paper
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 17"
- Tabs Per Roll: 20,000
- Rolls Per Carton: 4 (80,000 tabs)
- Weight: 47 lbs./ carton

PHOTO NOT AVAILABLE



150 TAB

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


## 150-25K CL

Size: 1 1/2" Circle

### Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: Clear Film
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 16 7/8"
- Tabs Per Roll: 25,000
- Rolls Per Carton: 4 (100,000 tabs)
- Weight: 49 lbs./ carton

PHOTO NOT AVAILABLE



150K CL


## 150-25K TL

Size: 1 1/2" Circle

### Specifications

- For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier
- Description: Translucent Paper
- Repeat: 1 5/8"
- Carrier: 1 5/8"
- OD: 16 5/8"
- Tabs Per Roll: 25,000
- Rolls Per Carton: 4 (100,000 tabs)
- Weight: 48 lbs./ carton

PHOTO NOT AVAILABLE



150K TL

# Machine Specifications

## Postal Sealing Tabs

### Astro®

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
ATS-12	5/8" to 1 1/2"	5,000 1" tabs	3"	Clear / Translucent / White
ATS-309	3/4" to 1 1/2"	Up to 10" O.D. (Dual Tabber)	3"	Clear / Translucent / White
ATS 8000	5/8" to 1 1/4"	5,000 1" tabs	3"	Clear / Translucent / White
ATS 8900	3/4" to 1 1/2"	Up to 16" O.D. or 20,000 1" tabs	3"	Clear / Translucent / White
ATS 9600	3/4" to 1 1/4"	Up to 10" O.D. or 10,000 1" tabs	3"	Clear / Translucent / White
ATS 9700	3/4" to 1 1/4"	Up to 10" O.D. or 10,000 1" tabs	3"	Clear / Translucent / White
ATS-9800	Tractor Feed Required: 13/16" x 13/16" and 13/16" x 15/16"	Fanfold (Dual Tabber)	N/A	Clear / Translucent / White
ATS 9900	3/4" x 3/4" to 2" x 2"	Up to 19 1/2" O.D.	3"	Clear / Translucent / White
ATS 9950	3/4" x 3/4" to 2" x 2"	Up to 19 1/2" O.D.	3"	Clear / Translucent / White

### Accufast®

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
ET	1" to 1 1/2"	Fanfold	N/A	White / Translucent
Freehand Tabber	Tractor Feed Required: 1"	5,000 1" tabs	3"	White
KT	1" circle or rectangle	5,000 1" tabs	3"	Clear Matte / Translucent / White
KT 1.5	1" to 1 1/2" circle or rectangle	4,000 1 1/2" tabs	3"	Clear Matte / Translucent / White
KT2	1" circle or rectangle	5,000 1" tabs	3"	Clear Matte / Translucent / White
QT	Pinfeed Required: 31/32" to 1"	3,125 1" tabs	3"	White

### Buskro®

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
BK530	3/4" to 2"	40,000 1" tabs	3"	Clear / Translucent / White
BK530WL	3/4" to 4 1/2"	40,000 1" tabs	3"	Clear / Translucent / White
BK730	3/4" to 3"	Up to 19 3/4" O.D.	3"	Clear / Translucent / White
BK730WL	3/4" to 5"	Up to 19 3/4" O.D.	3"	Clear / Translucent / White

### Duplo®

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
DT-900	Pinfeed Required: 15/16" tab with 1" repeat	10,000 15/16" tabs	3"	Clear / White

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

**Hasler®**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
HT-12	Up to 1 1/2"	10,000 1" tabs	3"	Clear / Translucent / White
HT-20	Up to 1 1/2"	Up to 16" O.D. or 30,000 1" tabs	3"	Clear / Translucent / White
HT-25	Up to 1 1/2"	Up to 9" O.D.	3"	Clear / Translucent / White
HT-30	Up to 1 1/2"	Up to 19 1/2" O.D. or 40,000 1" tabs	3"	Clear / Translucent / White

**Kirk Rudy®**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
KR 435	1/2" to 2"	Up to 16" O.D.	3"	Clear / Translucent / White
KR 535	3/4" to 2"	Up to 16" O.D.	3"	Clear / Translucent / White
KR 545T	1/2" to 1 1/2"	Up to 18" O.D.	3"	Clear / Translucent / White

**Martin Yale®**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
EX5000	Pinfeed Required: 15/16" & 31/32" circle tabs or 7/8" square tabs	5,000 tabs	3"	Translucent / White
EX5100	Accepts 15/16" and 31/32" circle tabs or 7/8" square tabs with either friction or tractor fed backing	5,000 tabs	3"	Translucent / White

**Neopost®**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
TA-12	Up to 1 1/2"	10,000 1" tabs	3"	Clear / Translucent / White
TA-20	Up to 1 1/2"	Up to 16" O.D. or 30,000 1" tabs	3"	Clear / Translucent / White
TA-25	Up to 1 1/2"	Up to 9" O.D.	3"	Clear / Translucent / White
TA-30	Up to 1 1/2"	Up to 19 1/2" O.D. or 40,000 1" tabs	3"	Clear / Translucent / White
TA-40	Pinfeed Required: 31/32" or 1"	Up to 8" O.D. or 3,125 1" tabs	3"	White
TA-50	Up to 1 1/2"	Up to 8" O.D. or 5,000 1" tabs	3"	Clear / Translucent / White
TA-60	1"	Up to 8" O.D. (Dual Tabber)	3"	Clear / Translucent / White

**Pitney Bowes®**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
W350	5/8" to 1 1/2"	Up to 10" O.D.	3"	Clear / Translucent / White
W360	3/4" to 1 1/2"	Up to 10" O.D. (Dual Tabber)	3"	Clear / Translucent / White

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

**Prin2Mail®**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
F2T-21KS	Pinfeed Required: 1"	10,000 1" tabs (Dual Tabber)	3"	Clear / Translucent / White
F2T-21KD	Pinfeed Required: 1"	10,000 1" tabs (Dual Tabber)	3"	Clear / Translucent / White
F2T-21KF	Pinfeed Required: 1"	10,000 1" tabs (Dual Tabber)	3"	Clear / Translucent / White
3-Side Tabbing	Pinfeed Required: 1" to 1 1/2"	10,000 1" tabs / 7,000 1 1/2" tabs	3"	Clear / Translucent / White

**Profold®**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
LINX	3/4" to 1 1/2"	Up to 20,000 1" tabs	3"	Clear / Translucent / White
RSC	3/4" to 1 1/2"	Up to 13 1/2" O.D. (Optional 19" O.D.)	3"	Clear / Translucent / White

**Rena**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
L-324M / TL100	Tractor Feed Required: Length - 20mm to 160mm (.79" to 6.25") Width - 30mm to 160mm (1.125" to 6.25")	Fanfold (Dual Tabber)	N/A	Translucent / White
T-150	Tractor Feed Required: 1"	Up to 8" O.D.	3"	Clear / Translucent / White
T-250	5/8" to 1 1/2"	Up to 9" O.D.	3"	Clear / Translucent / White
T-300	1/2" to 1"	Up to 8" O.D.	3"	
T-350	Tractor Feed Required: 13/16" x 13/16" to 13/16" x 15/16"	Fanfold (Dual Tabber)	N/A	Clear / Translucent / White
T-600	1/2" to 1"	Up to 8" O.D. (Dual Tabber)	3"	Clear / Translucent / White
T-650	3/4" to 1 1/2"	Up to 9" O.D. (Dual Tabber)	3"	Clear / Translucent / White
T-750	3/4" to 1 1/2"	Up to 14" O.D.	3"	Clear / Translucent / White
T-950	3/4" x 3/4" to 2" x 7"	Up to 19" O.D.	3"	Clear / Translucent / White
UT-361	Tractor Feed Required: 16mm minimum (.63" x .63 square or circle)	Fanfold (Dual Tabber)	N/A	Clear / Translucent / White
XPS Pro Tab	3/4" x 3/4" to 2" x 7"	Up to 19 1/2" O.D.	3"	Clear / Translucent / White
XPS Pro Tab 4.0	3/4" x 3/4" to 2" x 7"	Up to 19" O.D.	3"	Clear / Translucent / White

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

**Secap®**

MODEL#	TAB SIZE	ROLL SIZE	CORE SIZE	MATERIALS
1012	3/4" to 1 1/2"	5,000 1"	3"	Clear / Translucent / White
1012E	3/4" to 1 1/2"	5,000 1"	3"	Clear / Translucent / White
1012-S	3/4" to 1 1/2"	5,000 1"	3"	Clear / Translucent / White
1012-SE	3/4" to 1 1/2"	5,000 1"	3"	Clear / Translucent / White
1030	1"	10,000 1"	3"	Clear / Translucent / White
1030E	1" to 1 1/2"	10,000 1"	3"	Clear / Translucent / White
2020	Pinfeed Required: 1"	10,000 1" tabs (Dual Tabber)	3"	Clear / Translucent / White
Jet 1	2" standard head / 4" wide head	Up to 19 1/2" O.D.	3"	Clear / Translucent / White
Jet 1 Dual	2" standard head / 4" wide head	Up to 19 1/2" O.D.	3"	Clear / Translucent / White
T-2000	1"	Up to 13 1/2" O.D.	3"	Clear / Translucent / White

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

---

# Tabbing Machine Information

## Postal Sealing Tabs

Tabbers which take Large Rolls w/ 1/8" Black Stripe Back-Printed Between Tabs and Vertical Perfs

- Astro 9900
- Buskro
- Cheshire TLS (Videojet Cheshire TIS)
- Kirk Rudy
- Profold
- Rena XPS-Pro Tab
- Secap® Jet 1
- Secap® PrintStream II (Please note: PrintStream I is Not a Tabbing Machine)

Tabbers which take Medium Rolls w/ 7/8" Black Square Back-Printed Behind Tabs and Horizontal Perfs

- Astro 9600
- DataTech 1012
- Pitney Bowes® W350
- Scriptomatic 1012
- Secap® 1030

Tabbers which take Small Rolls (Back-Printing is not necessary) and Horizontal Perfs

- Asmarc (Accufast) KT
- Asmarc (Accufast) KT-2 (KT-2 is a Double Tabber)
- Jet Tabber
- Martin Yale EX5100
- Neopost TA50 and TA60 (TA60 is a Double Tabber)
- Rena T-300 and T-600

Tabbers which take Small Rolls w/ 7/8" Black Square Back-Printed Behind Tabs and Horizontal Perfs

- Astro 8000
- DataTech 1020
- Scriptomatic 1020

Tabbers which require Carriers w/ Pinfeed on Both Sides of the Liner

- Asmarc (Accufast) QT
- Martin Yale EX5000
- Neopost TA40
- Print2mail - Must have 1" repeat - Our item: PINFED 10
- Rena T-150 - white tabs only

Tabbers which take Fanfolded Tabs

- Mail Express manufactured by Taneum (square white litho tabs are recommended)
- Rena TL-100
- Rena L-324/MT
- Rena L-326
- Rena UT361 (UT361 Needs a Centered Single Pinfeed Hole)

Please Note:

- Back-Printing is only necessary w/ Clear Matte Film and Translucent Paper Tabs
- Tabbers which do not require Back-Printing can run Back-Printed Tabs
- Perforations are optional, however they are recommended for Clear Matte Film Tabs

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

---

# Notes

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# Notes

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

---

---

# Notes

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# Notes

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

---

---

# Notes

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

# Notes

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

---

MATRIX LABEL SYSTEMS, INC.

T: 317.839.1973 • 4692 S. County Road 600 E. • Plainfield, Indiana 46168  
• F: 317.839.8496 • TF: 800.962.7256 • W: [www.matrixlabel.com](http://www.matrixlabel.com)

---

*"Innovative Solutions in Labels"*