

Translucent Paper Tabs


Our traditional Translucent Paper Tabs are compliant with the new USPS regulations for booklets and folded self-mailers. While they are not completely clear, they are a good alternative when tabbing high color and graphic based mailings. With the ability to be broken without a perf they offer an advantage that clear tabs do not. Matrix Label uses only high quality translucent facestock to produce a fast running and reliable tab.

To Order: Select your tab and contact us today at **800.962.7256** or by fax at **317.839.8496**.

- Material: Translucent paper facesheet with a 40# Liner
- Compatible with all tabbers that are able to run translucent paper
- All tabs are wound onto 3" cores
- Back printed for proper sensor read

100-5 TLNB


Specifications



SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	7 3/4"	None	5,000	20	24 LBS

For use in: Asmarc KT/ KT-2/ Martin Yale EX5000/ 5100

150-4 TLNB



Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	7"	None	4,000	10	20 LBS

For use in: Asmarc KT/ KT-2/ Martin Yale EX5000/ 5100

Ultra Translucent Paper Tabs

Our Ultra Translucent Paper Tabs are dramatically clearer than standard translucent tabs and are compliant with the new USPS® regulations for booklets and folded self-mailers. While they are not completely clear, they are an excellent alternative when tabbing high color and graphic based mailings. With the ability to be broken without a perf they offer an advantage that clear tabs do not. Matrix Label uses only high quality Ultra Translucent face stock to produce a fast running and reliable tab.

To Order: Select your tab and contact us today at **800.962.7256** or by fax at **317.839.8496**.

- Material: Ultra Translucent paper facesheet with a 40# Liner
- Compatible with all tabbers that are able to run translucent paper
- All tabs are wound onto 3" cores
- Back printed for proper sensor read

100-5 ULTRA TL

Specifications



SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	7 3/4"	Box	5,000	20	24 LBS

For use in: Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030

100-10 ULTRA TL

Specifications



SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	8 3/4"	Box	10,000	10	NA

For use in: Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030

100-10K ULTRA TL

Specifications




SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	8 3/4"	Bar	10,000	10	21 LBS

For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream

100-20K ULTRA TL

Specifications




SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	12 3/4"	Bar	20,000	5	23 LBS

For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream

100-30K ULTRA TL

Specifications




SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	14 1/4"	Bar	30,000	5	32 LBS

For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream

100-40K ULTRA TL

Specifications



SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	18 1/8"	Bar	40,000	5	52 LBS

For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream

150-4 ULTRA TL




Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	7"	Box	4,000	10	20 LBS

For use in: Friction feed tabbers which can accommodate up to a 1 5/8" carrier

150-10K ULTRA TL




Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	11 1/2"	Bar	10,000	6	28 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier

150-15K ULTRA TL




Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	13"	Bar	15,000	4	28 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier

150-30K ULTRA TL-90




Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	18"	Bar	30,000	3	45 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier

150-30K ULTRA TL-120




Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	18"	Bar	30,000	4	50 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier

150-15K ULTRA TL OVAL




Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	13"	Bar	15,000	4	NA

Friction feed tabbers which can accommodate up to a 1 5/8" carrier

150-30K ULTRA TL OVAL-90




Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	17 1/2"	Bar	30,000	3	45 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier

150-30K ULTRA TL OVAL-90



Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	17 1/2"	Bar	30,000	4	50 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier

White Paper Tabs


White Paper Tabs are the least expensive type of tabs available today and are most commonly used to seal low cost and white mailing projects. Matrix Label uses only high quality white paper face stock to produce a fast running and reliable tab.

To Order: Select your tab and contact us today at **800.962.7256** or by fax at **317.839.8496**.

- Material: White paper facesheet with 50# Liner
- Compatible with all tabbers that are able to run white paper
- All tabs are wound onto 3" cores

C-TABS 3125

Specifications




SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
31/32"	6 3/8"	None	3,125	32	34 LBS

For use in: Asmarc QT/ Martin Yale EX5000/ Neopost® TA40/ Rena T-150

Testing is Recommended

100 TAB-5

Specifications




SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	7 3/4"	None	5,000	20	29 LBS

For use in: Asmarc KT/ KT-2/ Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030

100 TAB-10

Specifications




SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	11"	None	10,000	10	26 LBS

For use in: Asmarc KT/ KT-2/ Astro 8000/ 9600/ Datatech/ Scriptomatic 1012/ 1020/ Jet Tabber/ Neopost® TA50/ TA60/ Pitney Bowes® W350/ Secap® 1012/ 1030

100 TAB-20

Specifications




SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	15"	None	20,000	5	29 LBS

For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream


100 TAB-30

Specifications



SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1"	18"	None	30,000	4	NA

For use in: Astro 9900/ Buskro/ Video Jet Cheshire TLS/ Kirk Rudy/ Profold/ Rena XPS-Pro Tab/ Secap® Jet 1/ Print Stream




150 TAB-3

Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	7 1/4"	None	3,000	10	18 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier




150 TAB-10

Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	12 1/2"	None	10,000	6	35 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier



150 TAB-20

Specifications

SIZE	OUTSIDE DIA.	LINER PRINT	TABS/ROLL	ROLLS/CASE	CASE WEIGHT
1 1/2"	17 1/2"	None	20,000	4	47 LBS

Friction feed tabbers which can accommodate up to a 1 5/8" carrier

Astro®

Model #	Tab Size	Roll Size	Core Size	Materials
ATS-12	5/8" to 1 1/2"	5,000 1" tabs	3"	Clear / Translucent / White
ATS-309	Dual Head Tabber 3/4" to 1 1/2"	2 reels with up to 10" O.D.	3"	Clear / Translucent / White
ATS 8000	5/8" to 1 1/4"	5,000 1" tabs	3"	Clear / Translucent / White
ATS 8900	3/4" to 1 1/2"	Up to 16" O.D. or 20,000 1" tabs	3"	Clear / Translucent / White
ATS 9600	3/4" to 1 1/4"	Up to 10" O.D. or 10,000 1" tabs	3"	Clear / Translucent / White
ATS 9700	Dual Head Tabber 3/4" to 1 1/4"	30,000 per stack	N/A	Clear / Translucent / White
ATS-9800	Tractor Feed Required: 13/16" x 13/16" and 13/16" x 15/16"	Fanfold (Dual Tabber)	N/A	Clear / Translucent / White
ATS 9900	3/4" x 3/4" to 2" x 2"	Up to 19 1/2" O.D.	3"	Clear / Translucent / White
ATS 9950	3/4" x 3/4" to 2" x 2"	Up to 19 1/2" O.D.	3"	Clear / Translucent / White

Accufast®

Model #	Tab Size	Roll Size	Core Size	Materials
ET	1" to 1 1/2"	Fanfold	N/A	White / Translucent
ET/R	1" to 1 1/2"	2 reels with 12" O.D.	3"	White / Translucent
ET LDM	1" to 1 1/2"	12" Spool	3"	White / Translucent
Freehand Tabber	Tractor Feed Required: 1"	5,000 1" tabs	3"	White
KT	1" circle or rectangle	5,000 1" tabs	3"	Clear Matte / Translucent / White
KT 1.5	1" to 1 1/2" circle or rectangle	4,000 1 1/2" tabs	3"	Clear Matte / Translucent / White
KT2	1" circle or rectangle	5,000 1" tabs	3"	Clear Matte / Translucent / White
QT	Pinfeed Required: 31/32" to 1"	3,125 1" tabs	3"	White
Slim Jim System	Combination of ET and KT			

Buskro®

Model #	Tab Size	Roll Size	Core Size	Materials
BK530	3/4" to 2"	40,000 1" tabs	3"	Clear / Translucent / White
BK530WL	3/4" to 4 1/2"	40,000 1" tabs	3"	Clear / Translucent / White
BK730	3/4" to 3"	Up to 19 3/4" O.D.	3"	Clear / Translucent / White
BK730WL	3/4" to 5"	Up to 19 3/4" O.D.	3"	Clear / Translucent / White

Duplo®

Model #	Tab Size	Roll Size	Core Size	Materials
DT-900	Pinfeed Required: 15/16" tab with 1" repeat	10,000 1516" tabs	3"	Clear / White

Formax®

Model #	Tab Size	Roll Size	Core Size	Materials
FD260	1" tabs: circles or rectangles, with or w/out tractor holes	5,000 1" tabs	3"	Clear Matte / Translucent / White
FD280	1" and 1 1/2" tabs	Fanfold	N/A	Translucent / White
FD290	Combination of FD260 and FD280			

Hasler®

Model #	Tab Size	Roll Size	Core Size	Materials
HT-12	Up to 1 1/2"	10,000 1" tabs	3"	Clear / Translucent / White
HT-20	Up to 1 1/2"	Up to 16" O.D. or 30,000 1" tabs	3"	Clear / Translucent / White
HT-25	Up to 1 1/2"	Up to 9" O.D.	3"	Clear / Translucent / White
HT-30	Up to 1 1/2"	Up to 19 1/2" O.D. or 40,000 1" tabs	3"	Clear / Translucent / White

Kirk Rudy®

Model #	Tab Size	Roll Size	Core Size	Materials
KR 435	1/2" to 2"	Up to 16" O.D.	3"	Clear / Translucent / White
KR 535	3/4" to 2"	Up to 16" O.D.	3"	Clear / Translucent / White
KR 545T	1/2" to 1 1/2"	Up to 18" O.D.	3"	Clear / Translucent / White

Martin Yale®

Model #	Tab Size	Roll Size	Core Size	Materials
EX5000	Pinfeed Required: 15/16" & 31/32" circle tabs or 7/8" square tabs	5,000 tabs	3"	Translucent / White
EX5100	Accepts 15/16" and 31/32" circle tabs or 7/8" square tabs with either friction or tractor fed backing	5,000 tabs	3"	Translucent / White

Neopost®

Model #	Tab Size	Roll Size	Core Size	Materials
TA-12	Up to 1 1/2"	10,000 1" tabs	3"	Clear / Translucent / White
TA-20	Up to 1 1/2"	Up to 16" O.D. or 30,000 1" tabs	3"	Clear / Translucent / White
TA-25	Up to 1 1/2"	Up to 9" O.D.	3"	Clear / Translucent / White
TA-30	Up to 1 1/2"	Up to 19 1/2" O.D. or 40,000 1" tabs	3"	Clear / Translucent / White
TA-40	Pinfeed Required: 31/32" or 1"	Up to 8" O.D. or 3,125 1" tabs	3"	White
TA-50	Up to 1 1/2"	Up to 8" O.D. or 5,000 1" tabs	3"	Clear / Translucent / White
TA-60	1"	Up to 8" O.D. (Dual Tabber)	3"	Clear / Translucent / White

Pitney Bowes®

Model #	Tab Size	Roll Size	Core Size	Materials
W350	5/8" to 1 1/2"	Up to 10" O.D.	3"	Clear / Translucent / White
W360	3/4" to 1 1/2"	Up to 10" O.D. (Dual Tabber)	3"	Clear / Translucent / White

Prin2Mail®

Model #	Tab Size	Roll Size	Core Size	Materials
F2T-21KS	Pinfeed Required: 1"	10,000 1" tabs (Dual Tabber)	3"	Clear / Translucent / White
F2T-21KD	Pinfeed Required: 1"	10,000 1" tabs (Dual Tabber)	3"	Clear / Translucent / White
F2T-21KF	Pinfeed Required: 1"	10,000 1" tabs (Dual Tabber)	3"	Clear / Translucent / White
3-Side Tabbing	Pinfeed Required: 1" to 1 1/2"	10,000 1" tabs / 7,000 1 1/2" tabs	3"	Clear / Translucent / White

Profold®

Model #	Tab Size	Roll Size	Core Size	Materials
LINX	3/4" to 1 1/2"	Up to 20,000 1" tabs	3"	Clear / Translucent / White
PRO+II	3/4" to 1 1/2"	19" O.D.	3"	Clear / Translucent / White
RSC	3/4" to 1 1/2"	Up to 13 1/2" O.D. (Optional 19" O.D.)	3"	Clear / Translucent / White

Rena®

Model #	Tab Size	Roll Size	Core Size	Materials
L-324M / TL100	Tractor Feed Required: Length - 20mm to 160mm (.79" to 6.25") Width - 30mm to 160mm (1.125" to 6.25")	Fanfold (Dual Tabber)	N/A	Translucent / White
T-150	Tractor Feed Required: 1"	Up to 8" O.D.	3"	Clear / Translucent / White
T-250	5/8" to 1 1/2"	Up to 9" O.D.	3"	Clear / Translucent / White
T-300	1/2" to 1"	Up to 8" O.D.	3"	Clear / Translucent / White
T-350	Tractor Feed Required: 13/16" x 13/16" to 13/16" x 15/16"	Fanfold (Dual Tabber)	N/A	Clear / Translucent / White
T-600	1/2" to 1"	Up to 8" O.D. (Dual Tabber)	3"	Clear / Translucent / White
T-650	3/4" to 1 1/2"	Up to 9" O.D. (Dual Tabber)	3"	Clear / Translucent / White
T-750	3/4" to 1 1/2"	Up to 14" O.D.	3"	Clear / Translucent / White
T-950	3/4" x 3/4" to 2" x 7"	Up to 19" O.D.	3"	Clear / Translucent / White
UT-361	Tractor Feed Required: 16mm minimum (.63" x .63 square or circle)	Fanfold (Dual Tabber)	N/A	Clear / Translucent / White
XPS Pro Tab	3/4" x 3/4" to 2" x 7"	Up to 19 1/2" O.D.	3"	Clear / Translucent / White
XPS Pro Tab 4.0	3/4" x 3/4" to 2" x 7"	Up to 19" O.D.	3"	Clear / Translucent / White

Secap®

Model #	Tab Size	Roll Size	Core Size	Materials
1012	3/4" to 1 1/2"	5,000 1"	3"	Clear / Translucent / White
1012E	3/4" to 1 1/2"	5,000 1"	3"	Clear / Translucent / White
1012-S	3/4" to 1 1/2"	5,000 1"	3"	Clear / Translucent / White
1012-SE	3/4" to 1 1/2"	5,000 1"	3"	Clear / Translucent / White
1030	1"	10,000 1"	3"	Clear / Translucent / White
1030E	1" to 1 1/2"	10,000 1"	3"	Clear / Translucent / White
2020	Pinfeed Required: 1"	10,000 1" tabs (Dual Tabber)	3"	Clear / Translucent / White
Jet 1	2" standard head / 4" wide head	Up to 19 1/2" O.D.	3"	Clear / Translucent / White
Jet 1 Dual	2" standard head / 4" wide head	Up to 19 1/2" O.D.	3"	Clear / Translucent / White
T-2000	1"	Up to 13 1/2" O.D.	3"	Clear / Translucent / White